



Leading FTTX Network Solutions  
**Product Portfolio**

Connection Technology Systems Inc. (HQ)  
18F-6, No. 79, Sec 1, Xintai 5th Rd., Xizhi Dist., New Taipei City  
221, Taiwan  
E-mail: info@ctsystem.com  
Sales Direct Line: +886-2-26989201


Connection Technology Systems NE AB  
E A Rosengrens gata 31, 421 31 Västra Frölunda, Sweden  
E-mail: info@ctsystem.se | Tel: +46-31-221980

Connection Technology Systems Central Europe  
(COMPONET Handels GmbH)  
Hirschstettner Straße 19-21/Stiege A-1220 Vienna, Austria  
E-mail: cts\_ce@ctsystem.com | Tel: +43-1-235 05 66-0

Connection Technology Systems Japan  
Higobashi Bldg, No3 R201, 1-23-13, Edobori, Nishi-ku, Osaka  
550-0002, Japan  
E-mail: cts\_japan@ctsystem.com | Tel: +81-6-6450-8890

Connection Technology USA Inc.  
40538 La Purissima Way, Fremont, CA 94539, USA  
Tel: +1-510-509-0304 | E-mail: cts\_us@ctsystem.com  
Sales Direct Line: +1-510-509-0305









Connection Technology Systems India Private Limited  
No.1,1st Floor,RK Residency Vajarahalli,Uttarahalli,  
Talagatpura, Kanakpura MN Rd, Bangalore, Karnataka, India,  
560062  
E-mail: kirti\_simha@ctsystem.com




















# CTS Product Portfolio

## Switch Product Line

L2 Managed 10G Fiber Switch			L2 Managed Gigabit Fiber Switch				Dual-band Mesh Wi-Fi 6 Router
10G, Dual Power Input  <b>FOS-5152</b>	10G, Dual Power Input  <b>FOS-5128</b>	10G, Dual Power Input  <b>FOS-5112</b>	High Density Fiber  <b>FOS-3148</b> <b>FOS-3148-BAT</b> <b>FOS-3148-BAT-P</b>	Dual Power Input  <b>FOS-3128</b>	8.5-inch, Fanless  <b>FOS-3114</b>	8.5-inch, Fanless  <b>FOS-3110</b>	TR-069/181, AX5400  <b>MWR-3102-AX54</b>
<ul style="list-style-type: none"> <li>• 1/10GBase-R SFP+ slot x 4</li> <li>• 100/1000Base-X SFP slot x 48</li> <li>• Digital output supported</li> <li>• Redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 1/10GBase-R SFP+ slot x 4</li> <li>• 100/1000Base-X SFP slot x 24</li> <li>• Digital output supported</li> <li>• Redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 1/10GBase-R SFP+ slot x 4</li> <li>• 100/1000Base-X SFP slot x 8</li> <li>• Digital output supported</li> </ul>	<ul style="list-style-type: none"> <li>• 100/1000Base-X SFP slot x 48</li> <li>• 10/100/1000Base-T port x 4 shared with port-45 to 48</li> <li>• Redundant power system</li> <li>• Battery backup feature (BAT model only)</li> </ul>	<ul style="list-style-type: none"> <li>• 100/1000Base-X SFP slot x 28</li> <li>• 10/100/1000Base-T port x 4 shared with port-25 to 28</li> <li>• Redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 100/1000Base-X SFP slot x 14</li> </ul>	<ul style="list-style-type: none"> <li>• 100/1000Base-X SFP slot x 10</li> <li>• 10/100/1000Base-T port x 2 shared with port-9 to 10</li> </ul>	<ul style="list-style-type: none"> <li>• 1/2.5GBase-T Port x 1</li> <li>• 1000Base-T Port x 1</li> <li>• Dual-Band 4x4 (5GHz) + 2x2 (2.4GHz)</li> </ul>
<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- STP/RSTP</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> </ul>	<ul style="list-style-type: none"> <li>- IGMP Snooping v1, v2, v3, filter and fast leave</li> <li>- MLD Snooping v1, v2</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> <li>- Fast Ring v2</li> </ul>		<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- STP/RSTP</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> </ul>	<ul style="list-style-type: none"> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> </ul>	<ul style="list-style-type: none"> <li>- IGMP Snooping v1, v2, v3, filter and fast leave</li> <li>- MLD Snooping v1, v2</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- Fast Ring v2</li> </ul>	<ul style="list-style-type: none"> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> <li>- Fast Ring v2</li> </ul>	<ul style="list-style-type: none"> <li>- Beamforming, Band Steering, Fast Roaming</li> <li>- MU-MIMO, OFDMA, 1024-QAM</li> <li>- Channel Bonding 20/40MHz for 2.4GHz</li> <li>- 40/80/160MHz for 5GHz</li> <li>- 64/128-bit WPA2/WPA3 Data Encryption</li> <li>- CTS Wi-Fi Android/iOS App</li> <li>- Whole-home Wi-Fi Mesh System</li> <li>- IEEE 802.1q Tag VLAN</li> </ul>








L2 Managed Gigabit Ethernet Switch			L2 Managed Gigabit PoE+ Switch		L2 Managed 1/10G CPE Switch	
10G, Dual Power Input  <b>ESW-5128</b>	Dual Power Input  <b>ESW-3128</b>	 <b>SWH-3112</b>	PoE+, Fast Ring v2  <b>EPS-3128</b> <b>EPS-3128-LP</b>	PoE+, Fast Ring v2  <b>EPS-3112</b>	10G, Multi-G  <b>HES-5106SFP+</b>	 <b>HES-3106-SE</b>
<ul style="list-style-type: none"> <li>• 1/10GBase-R SFP+ slot x 4</li> <li>• 10/100/1000Base-T port x 24</li> <li>• Redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T port x 28</li> <li>• 100/1000Base-X SFP slot x 4 shared with port-25 to 28</li> <li>• Redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T port x 12</li> <li>• 100/1000Base-X SFP slot x 4 shared with port-9 to 12</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 802.3at PoE+ port x 24</li> <li>• 100/1000Base-X SFP slot x 4</li> <li>• 10/100/1000Base-T port x 4 shared with port-25 to 28</li> <li>• 240/480W PoE budget</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 802.3at PoE+ port x 8</li> <li>• 100/1000Base-X SFP slot x 4</li> <li>• 10/100/1000Base-T port x 4 shared with port-9 to 12</li> <li>• 130W PoE budget</li> </ul>	<ul style="list-style-type: none"> <li>• 1/10G Base-R SFP+ slot x 1</li> <li>• 1/2.5/5/10GBase-T port x 1</li> <li>• 10/100/1000Base-T port x 4</li> <li>• Optional cable tray</li> </ul>	<ul style="list-style-type: none"> <li>• 100/1000Base-X fiber port x 1</li> <li>• 10/100/1000Base-T port x 5</li> <li>• Optional cable tray</li> </ul>
<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- STP/RSTP</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> </ul>	<ul style="list-style-type: none"> <li>- IGMP Snooping v1, v2, v3, filter and fast leave</li> <li>- MLD Snooping v1, v2</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> </ul>		<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- STP/RSTP</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> </ul>	<ul style="list-style-type: none"> <li>- IGMP Snooping v1, v2, v3, filter and fast leave</li> <li>- MLD Snooping v1, v2</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> <li>- Fast Ring v2</li> </ul>	<ul style="list-style-type: none"> <li>- Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> </ul>	<ul style="list-style-type: none"> <li>- IGMP Snooping v1, v2, v3</li> <li>- IPv4/IPv6 dual stack</li> <li>- Loop detection, port mirroring</li> <li>- DHCP client, auto provisioning</li> <li>- Built-in RADIUS client</li> </ul>

## Media Converter Product Line

16-slot Media Chassis	10G Fiber Media Converter	Gigabit/Fast Ethernet Media Converter		18-/12-/2-slot Compact Size Media Chassis			
 <b>CVT-RACK-16</b> <b>CVT-RACK-16S</b>	10G  <b>CVT-5002SFP+</b>	Dual Rate Fiber Speed  <b>CVT-3002-PLUS</b> <b>CVT-3002-PLUS-DR</b>	 <b>CVT-100</b>	Managed  <b>MCT-RACK-18-MGM</b>	 <b>MCT-RACK-18</b>	Managed  <b>MCT-RACK-12-MGM</b>	8.5-inch  <b>MCT-RACK-2</b>
<ul style="list-style-type: none"> <li>• 16 slots for CVT media converters</li> <li>• 3 hot-swappable fan modules</li> <li>• 2 hot-swappable redundancy power modules (16 only)</li> <li>• Optional AC or DC power modules (16 only)</li> <li>• Fixed AC power supply (16S only)</li> </ul>	<ul style="list-style-type: none"> <li>• 10G fiber to 10G fiber</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with CVT-RACK-16(S)</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000M RJ-45 to 100/1000M fiber</li> <li>• 2K MAC address table</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with CVT-RACK-16(S)</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100M RJ-45 to 100M fiber</li> <li>• 2K MAC address table</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with CVT-RACK-16(S)</li> </ul>	<ul style="list-style-type: none"> <li>• 18 slots for MCT media converters</li> <li>• 2 hot-swappable redundancy power modules</li> <li>• Optional AC or DC power modules</li> <li>• RS-232 to RJ-45 console port x 1</li> <li>• 10/100Base-T RJ-45 Ethernet port x 1</li> <li>• USB 2.0 TypeA x 1</li> <li>• DI x 1/DO x 1</li> </ul>	<ul style="list-style-type: none"> <li>• 18 slots for MCT media converters</li> <li>• 2 fixed redundancy power supplies</li> <li>• Optional AC or DC power supply</li> </ul>	<ul style="list-style-type: none"> <li>• 12 slots for MCT media converters</li> <li>• 2 hot-swappable redundancy power modules</li> <li>• Optional AC or DC power modules</li> <li>• RS-232 to RJ-45 console port x 1</li> <li>• 10/100Base-T RJ-45 Ethernet port x 1</li> <li>• USB 2.0 TypeA x 1</li> <li>• DI x 1/DO x 1</li> </ul>	<ul style="list-style-type: none"> <li>• 2 slots for MCT media converters</li> <li>• 1 fixed power supply</li> <li>• Optional AC or DC power supply</li> </ul>
		<ul style="list-style-type: none"> <li>- Flow control</li> <li>- Link alarm</li> </ul>	<ul style="list-style-type: none"> <li>- Flow control</li> <li>- Link alarm</li> </ul>	<ul style="list-style-type: none"> <li>- Telnet, CLI, Web, SNMP managed</li> </ul>		<ul style="list-style-type: none"> <li>- Telnet, CLI, Web, SNMP managed</li> </ul>	







## Compact Size Media Converter Product Line

## Gateway Product Line








10G Compact Size Media Converter	10G	Gigabit Compact Size Media Converter		Fast Ethernet Compact Size Media Converter	Gigabit Fiber Residential Gateway	
10G, Multi-G  <b>MCT-5002SFP+</b>	10G  <b>MCT-5002FSMSFP+</b>	Managed, OAM, Dual Rate Fiber Speed  <b>MCT-3512</b> <b>MCT-3512-DR</b>	Managed, OAM, Dual Rate Fiber Speed  <b>MCT-3612</b> <b>MCT-3612-DR</b>	Dual Rate Fiber Speed  <b>MCT-3002</b> <b>MCT-3002-DR</b>	 <b>MCT-100</b>	TR-069  <b>FRG-3105SFP-CW-DR</b>
<ul style="list-style-type: none"> <li>• 100M/1G/2.5G/5G/10G RJ-45 to 10G fiber</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with MCT-RACK-18/12/2</li> </ul>	<ul style="list-style-type: none"> <li>• 10G fiber to 10G fiber</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with MCT-RACK-18/12/2</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000M RJ-45 to 100/1000M fiber</li> <li>• 2K MAC address table</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with MCT-RACK-18/12/2-MGM</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000M RJ-45 to 100/1000M fiber</li> <li>• 2K MAC address table</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with MCT-RACK-18/12/2-MGM</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000M RJ-45 to 100/1000M fiber</li> <li>• 2K MAC address table</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with MCT-RACK-18/12/2</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100M RJ-45 to 100M fiber</li> <li>• 1K MAC address table</li> <li>• 9K Bytes Jumbo frame</li> <li>• Compatible with MCT-RACK-18/12/2</li> </ul>	<ul style="list-style-type: none"> <li>• WAN: 100/1000Base-X SFP slot x 1 (10/100/1000Base-T RJ-45 combo port)</li> <li>• LAN: 10/100/1000Base-T port x 4</li> <li>• Optional cable tray</li> </ul>
		<ul style="list-style-type: none"> <li>- Bandwidth control, flow control</li> <li>- 802.3ah OAM</li> <li>- Link alarm</li> <li>- Port status, counter, DMI</li> </ul>	<ul style="list-style-type: none"> <li>- Bandwidth control, flow control</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- Link alarm</li> <li>- Port status, counter, DMI</li> </ul>			<ul style="list-style-type: none"> <li>- Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- NAT/Bridge mode</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- IGMP Snooping proxy</li> <li>- Loop detection, port mirroring</li> <li>- DHCP server, client, auto provisioning</li> <li>- DoS prevention, packet &amp; URL filtering</li> <li>- Syslog, DDNS, NTP client</li> <li>- Port forwarding &amp; triggering, DMZ</li> </ul>

## Home Size Media Converter

## Industrial Media Converter Product Line (-40 ~ 75°C)

Gigabit Home Size Media Converter	Industrial PoE Media Converter		Industrial Media Converter		
Wall-mounted  <b>FTC-3012</b>	Wall-mounted  <b>HMC-3012</b>	Dual Rate Fiber Speed, Power Booster, 60W PoE  <b>IPC-3014-PoE++</b>	Dual Rate Fiber Speed, Power Booster, 60W PoE  <b>IPC-3012-PoE++</b>	Dual Rate Fiber Speed  <b>IAC-3014</b>	Dual Rate Fiber Speed  <b>IAC-3012</b>
<ul style="list-style-type: none"> <li>• 10/100/1000M RJ-45 to 100/1000M fiber</li> <li>• 2K MAC address table</li> <li>• 9K Bytes Jumbo frame</li> <li>• Built-in cable tray</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000M RJ-45 to 100/1000M fiber</li> <li>• 2K MAC address table</li> <li>• 9K Bytes Jumbo frame</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 802.3at PoE+ port x 1</li> <li>• 10/100/1000Base-T with 60W PoE++ port x 1</li> <li>• 100/1000Base-X SFP slot x 2</li> <li>• 90W PoE budget</li> <li>• 12-57VDC dual redundant power system</li> <li>• DIP switch for Switch, Dual Media Converter &amp; Fiber Backup mode</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 60W PoE++ port x 1</li> <li>• 100/1000Base-X SFP slot x 1</li> <li>• 60W PoE budget</li> <li>• 12-57VDC dual redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T port x 2</li> <li>• 100/1000Base-X SFP slot x 2</li> <li>• 12-48VDC dual redundant power system</li> <li>• DIP switch for Switch, Dual Media Converter &amp; Fiber Backup mode</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T port x 2</li> <li>• 100/1000Base-X SFP slot x 2 shared with port-9 to 10</li> <li>• 12-48VDC dual redundant power system</li> </ul>
<ul style="list-style-type: none"> <li>- Console, SSH, Telnet, CLI, Web, SNMP managed</li> <li>- STP/RSTP/Fast Ring v2</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, storm control</li> </ul>	<ul style="list-style-type: none"> <li>- IGMP Snooping v1, v2, v3, filter and fast leave</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client</li> <li>- 802.1X MAB, ACL, built-in RADIUS/TCACS+ client</li> </ul>		<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IGMP Snooping v1, v2, v3, and fast leave</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> </ul>	<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- STP/RSTP/Fast Ring v2</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> <li>- IGMP Snooping v1, v2, v3, filter, and fast leave</li> <li>- MLD Snooping v1, v2</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> </ul>	<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- STP/RSTP/Fast Ring v2</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> <li>- IGMP Snooping v1, v2, v3, filter, and fast leave</li> <li>- MLD Snooping v1, v2</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> </ul>

## Industrial Switch Product Line

Industrial Managed PoE Switch				L2 Managed Gigabit Switch		
60W PoE, Fast Ring v2  <b>IPS-3120-PoE++</b>	60W PoE, Fast Ring v2  <b>IPS-3112-PoE++</b>	30W PoE  <b>IPS-3108-EXP</b>	30W PoE, Fast Ring v2  <b>IPS-3110</b>	30W PoE, Fast Ring v2, Power Booster  <b>IPS-3110-PB</b>	30W PoE, Fast Ring v2, Power Booster  <b>IPS-3106-SE-PB</b>	 <b>IES-3110</b>
<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 802.3at PoE+ port x 8</li> <li>• 100/1000Base-X SFP slot x 4</li> <li>• 100/1000Base-X SFP slot x 4</li> <li>• 720W PoE budget</li> <li>• -40~75°C wide operating temperature</li> <li>• 48-55VDC dual redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 60W PoE++ port x 8</li> <li>• 100/1000Base-X SFP slot x 4</li> <li>• 480W PoE budget</li> <li>• -40~75°C wide operating temperature</li> <li>• 48-55VDC dual redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 802.3at PoE+ port x 8</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 802.3at PoE+ port x 8</li> <li>• 10/100/1000Base-T port x 2 shared with port-9 to 10</li> <li>• 240W PoE budget</li> <li>• -40~75°C wide operating temperature</li> <li>• 44-54VDC dual redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 802.3at PoE+ port x 8</li> <li>• 100/1000Base-X SFP slot x 2</li> <li>• 10/100/1000Base-T port x 2 shared with port-9 to 10</li> <li>• 240W PoE budget</li> <li>• -40~75°C wide operating temperature</li> <li>• 24-54VDC dual redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T with 802.3at PoE+ port x 4</li> <li>• 100/1000Base-X SFP slot x 2</li> <li>• 120W PoE budget</li> <li>• -40~75°C wide operating temperature</li> <li>• 24-54VDC dual redundant power system</li> </ul>	<ul style="list-style-type: none"> <li>• 10/100/1000Base-T port x 10</li> <li>• 100/1000Base-X SFP slot x 2 shared with port-9 to 10</li> <li>• -40~75°C wide operating temperature</li> <li>• 12-54VDC dual redundant power system</li> </ul>
<ul style="list-style-type: none"> <li>- Console, SSH, Telnet, CLI, Web, SNMP managed</li> <li>- STP/RSTP/Fast Ring v2</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, storm control</li> </ul>	<ul style="list-style-type: none"> <li>- IGMP Snooping v1, v2, v3, filter and fast leave</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client</li> <li>- 802.1X MAB, ACL, built-in RADIUS/TCACS+ client</li> </ul>	<ul style="list-style-type: none"> <li>- PoE expansion module for IPS-3112-PoE++</li> </ul>	<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IGMP Snooping v1, v2, v3, and fast leave</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> </ul>	<ul style="list-style-type: none"> <li>- IGMP Snooping v1, v2, v3, and fast leave</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> </ul>	<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- STP/RSTP/Fast Ring v2</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> <li>- IGMP Snooping v1, v2, v3, filter, and fast leave</li> <li>- MLD Snooping v1, v2</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> </ul>	<ul style="list-style-type: none"> <li>- Console, Telnet, SSHv2, CLI, Web, SNMP managed</li> <li>- IPv4/IPv6 dual stack</li> <li>- STP/RSTP/Fast Ring v2</li> <li>- VLAN 802.1q, Q-in-Q</li> <li>- QoS 802.1p, ToS/DSCP</li> <li>- Bandwidth control, Storm control</li> <li>- IGMP Snooping v1, v2, v3, filter, and fast leave</li> <li>- MLD Snooping v1, v2</li> <li>- 802.3ad LACP, port trunking, LLDP</li> <li>- DHCP client, Snooping, auto provisioning</li> <li>- 802.1X MAB, ACL, built-in RADIUS client</li> </ul>

\* Coming soon

Innovation to Your Needs